

SAFETY DATA SHEET



1. Identification

Product identifier	Doramectin Levamisole HCL Injection Solution
Other means of identification	
Synonyms	DECTOMAX V dual combination injection for cattle * VALCOR
Recommended use of the chemical and restrictions on use	
Recommended use	Veterinary product
Restrictions on use	Not for human use
Details of manufacturer or importer	
Company Name (AU)	Zoetis Australia Pty Ltd ABN 94 156 476 425 Level 6, 5 Rider Boulevard Rhodes NSW 2138 AUSTRALIA
Tel	1800 814 883
Fax	(02) 8876 0444
Email	productsupport.au@zoetis.com
Emergency Phone	1800 814 883 (all hours)
Police and Fire Brigade	Dial 000
If ineffective	Dial Poisons Information Centre (13 1126 from anywhere in Australia)

2. Hazard(s) identification

Classification of the hazardous chemical

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Serious eye damage/eye irritation	Category 1
	Reproductive toxicity	Effects on or via lactation
	Specific target organ toxicity following repeated exposure	Category 1 (blood, hematopoietic system)
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1

Label elements, including precautionary statements

Hazard symbol(s)



Corrosion

Health
hazard

Exclamation
mark

Environment

Signal word

Danger

Hazard statement(s)

Harmful if swallowed. Causes serious eye damage. May cause harm to breast-fed children. Causes damage to organs (blood, hematopoietic system) through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

Prevention

Obtain special instructions before use. Do not breathe mist/vapours. Avoid contact during pregnancy/while nursing. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear eye protection/face protection.

Response	IF exposed or concerned: Get medical advice/attention. IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. Rinse mouth. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor/physician. Collect spillage.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards which do not result in classification	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixture

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients (%)
Levamisole hydrochloride	16595-80-5	15
Benzyl alcohol	100-51-6	<5
Doramectin	117704-25-3	0.5
Butylated hydroxyanisole	25013-16-5	<0.1
Butylated hydroxytoluene	128-37-0	<0.1

Composition comments Other components below reportable levels.

4. First-aid measures

Description of necessary first aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	In the case of skin contact, immediately wash the skin with plenty of soap and water. In the event of accidental self injection or needle stick injury, wash the injury thoroughly with clean running water. Get medical attention immediately.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth. Call a physician or poison control centre immediately. Only induce vomiting at the instruction of medical personnel. Never give anything by mouth to an unconscious person.
Personal protection for first-aid responders	IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
Symptoms caused by exposure	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause Fatigue. Pallor. Jaundice. May cause drowsiness or dizziness. May cause reproductive effects.
Medical attention and special treatment	Provide general supportive measures and treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for fire fighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire: Stop leak if safe to do so. Move containers from fire area if you can do so without risk. Firefighters should wear full protective gear.
Hazchem code	None.
General fire hazards	No unusual fire or explosion hazards noted.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Keep unnecessary personnel away.
For emergency responders	Keep unnecessary personnel away. Ensure adequate ventilation. Wear appropriate protective equipment and clothing during clean-up. Do not get in eyes, on skin, or on clothing. Do not breathe mist or vapour. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Local authorities should be advised if significant spillages cannot be contained.

Environmental precautions Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Methods and materials for containment and cleaning up Ensure adequate ventilation. Wear appropriate protective equipment and clothing during clean-up. Avoid release to the environment. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Clean surface thoroughly to remove residual contamination.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

7. Handling and storage

Precautions for safe handling Do not handle until all safety precautions have been read and understood. Use this product with adequate ventilation. Wear personal protective equipment. Do not get this material in contact with eyes. Do not breathe mist/vapours. Avoid contact with skin. Avoid accidental injection. Avoid prolonged exposure. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Use appropriate container to avoid environmental contamination.

Conditions for safe storage, including any incompatibilities Store locked up. Store in a well-ventilated place. Do not store in direct sunlight. Keep away from food, drink and animal feeding stuffs. Use appropriate container to avoid environmental contamination. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls and personal protection

Control parameters Follow standard monitoring procedures.

Occupational exposure limits

Zoetis Components	Type	Value	
Doramectin (CAS 117704-25-3)	TWA	200 µg/m ³	
Levamisole hydrochloride (CAS 16595-80-5)	TWA	0.18 mg/m ³	
Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)			
Components	Type	Value	
Butylated hydroxytoluene (CAS 128-37-0)	TWA	10 mg/m ³	
US. ACGIH Threshold Limit Values			
Components	Type	Value	Form
Butylated hydroxytoluene (CAS 128-37-0)	TWA	2 mg/m ³	Inhalable fraction and vapour.
UK. EH40 Workplace Exposure Limits (WELs)			
Components	Type	Value	
Butylated hydroxytoluene (CAS 128-37-0)	TWA	10 mg/m ³	

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

Components	Type	Value	Form
Benzyl alcohol (CAS 100-51-6)	TWA	22 mg/m3	Vapour and aerosol.
		5 ppm	Vapour and aerosol.
Butylated hydroxyanisole (CAS 25013-16-5)	TWA	20 mg/m3	Vapor and aerosol, inhalable fraction.
Butylated hydroxytoluene (CAS 128-37-0)	TWA	10 mg/m3	Vapor and aerosol, inhalable fraction.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Keep air contamination levels below the exposure limits or within the OEB range listed above in this section. General ventilation normally adequate. Provide eyewash station.

Individual protection measures, for example personal protective equipment (PPE)

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

Wear appropriate chemical resistant gloves.

Other

Wear suitable protective clothing. Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and laboratory areas.

Respiratory protection

Whenever air contamination (mist, vapor or odor) is generated, respiratory protection is recommended as a precaution to minimize exposure. If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL.

Thermal hazards

Not applicable.

Hygiene measures

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state

Liquid.

Form

Liquid.

Colour

Not available.

Odour

Not available.

Odour threshold

Not available.

pH

4 - 5

Melting point/freezing point

Not available.

Initial boiling point and boiling range

Not available.

Flash point

112.0 °C (233.6 °F) (Closed cup)

Evaporation rate

Not available.

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)

Not available.

Flammability limit - upper (%)

Not available.

Explosive limit - lower (%)

Not available.

Explosive limit – upper (%)

Not available.

Vapour pressure

Not available.

Vapour density

Not available.

Relative density

Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other physical and chemical parameters

Explosive properties Not explosive.

Oxidising properties Not oxidising.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials. Sunlight. Keep away from heat, sparks, flame and all other sources of ignition. Avoid contact with acids.; may generate Formaldehyde.

Incompatible materials Strong acids. Strong oxidising agents.

Hazardous decomposition products Thermal decomposition products may include oxides of carbon, nitrogen, and sulfur. May include hydrogen chloride. Formaldehyde.

11. Toxicological information**Information on possible routes of exposure**

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Prolonged skin contact may cause temporary irritation.

Doramectin Levamisole HCL Injection Solution Result: Non-irritant
Species: Rabbit

Benzyl alcohol Species: Guinea Pig
Severity: Moderate

Species: Rabbit
Severity: Minimal

Butylated hydroxytoluene Species: Rabbit
Severity: Moderate

Doramectin Species: Rabbit
Severity: Non-irritating

Eye contact Causes serious eye damage.

Doramectin Levamisole HCL Injection Solution In vitro study
Result: Serious eye damage

Butylated hydroxytoluene Species: Rabbit
Severity: Moderate

Doramectin Species: Rabbit
Severity: Non-irritating

Benzyl alcohol Species: Rabbit
Severity: Severe

Ingestion Harmful if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.

Symptoms related to exposure Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause Pallor. Fatigue. Jaundice. May cause drowsiness or dizziness. May cause reproductive effects.

Acute toxicity Harmful if swallowed.

Product	Species	Test Results
Doramectin Levamisole HCL Injection Solution		
<u>Acute</u>		
Dermal		
LD50	Rat	> 2000 mg/kg
Oral		
LD50	Rat	300 - 2000 mg/kg
Components	Species	Test Results
Benzyl alcohol (CAS 100-51-6)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	2000 mg/kg
Inhalation		
LC50	Rat	> 4.178 mg/l 1000 mg/l, 8 Hours
Oral		
LD50	Mouse	1580 mg/kg
	Rat	1230 mg/kg
Butylated hydroxyanisole (CAS 25013-16-5)		
<u>Acute</u>		
Intraperitoneal		
LD50	Rat	881 mg/kg
Oral		
LD50	Mouse	1100 mg/kg
	Rat	2000 mg/kg
<u>Chronic</u>		
Oral		
LOAEL	Rat	3300 mg/kg, 12 days Liver Blood
Butylated hydroxytoluene (CAS 128-37-0)		
<u>Acute</u>		
Intraperitoneal		
LD50	Mouse	138 mg/kg
Oral		
LD50	Mouse	650 mg/kg
	Rat	1700 mg/kg 890 mg/kg
<u>Chronic</u>		
Oral		
LOAEL	Mouse	2000 mg/kg, 4 days Liver, Kidney, Ureter, Bladder
	Rat	5185 mg/kg, 4 weeks Liver
Doramectin (CAS 117704-25-3)		
<u>Acute</u>		
Oral		
LD50	Rat (F)	500 - 1000 mg/kg
	Rat (M)	1000 - 2000 mg/kg

Components	Species	Test Results
<u>Chronic</u>		
Oral		
NOEL	Dog	0.1 mg/kg/day, 3 months (Central Nervous System)
	Rat	2 mg/kg/day, 3 months (Liver)
Levamisole hydrochloride (CAS 16595-80-5)		
Oral		
	Mouse	223 mg/kg
	Rat	180 mg/kg
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Corrosivity		
Doramectin Levamisole HCL Injection Solution		Result: Non-irritant Species: Rabbit
Irritation Corrosion - Skin		
Doramectin		Result: Non-irritating Species: Rabbit
Serious eye damage/irritation	Causes serious eye damage.	
Eye contact		
Doramectin Levamisole HCL Injection Solution		In vitro study Result: Serious eye damage
Butylated hydroxytoluene		Species: Rabbit Severity: Moderate
Doramectin		Species: Rabbit Severity: Non-irritating
Benzyl alcohol		Species: Rabbit Severity: Severe
Respiratory or skin sensitisation		
Respiratory sensitisation	Based on available data, the classification criteria are not met.	
Skin sensitisation	Based on available data, the classification criteria are not met.	
Skin Sensitisation		
Doramectin Levamisole HCL Injection Solution		Result: Negative Species: Mouse
Levamisole hydrochloride		Result: sensitising
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Mutagenicity		
Doramectin		Bacterial Mutagenicity (Ames) Result: Negative Species: Salmonella
Butylated hydroxyanisole		In Vitro Bacterial Mutagenicity (Ames) Result: Negative Species: Salmonella
		In Vivo Micronucleus Result: Negative Species: Bone marrow
Doramectin		Mammalian Cell Mutagenicity Result: Negative Species: Mouse Lymphoma

Mutagenicity
Doramectin

Unscheduled DNA Synthesis
Result: Negative
Species: Rat Hepatocyte

Carcinogenicity

Based on available data, the classification criteria are not met. This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

ACGIH Carcinogens

Butylated hydroxytoluene (CAS 128-37-0)

A4 Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Butylated hydroxyanisole (CAS 25013-16-5)

2B Possibly carcinogenic to humans.

Butylated hydroxytoluene (CAS 128-37-0)

3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity

May cause harm to breastfed babies.

Developmental effects

Doramectin

> 6 mg/kg/day Embryo / Fetal Development, Not teratogenic
Result: NOEL
Species: Rat
Organ: Oral

0.75 mg/kg/day Embryo / Fetal Development, Maternal
Toxicity, Teratogenic
Result: NOEL
Species: Rabbit
Organ: Oral

3 mg/kg/day Embryo / Fetal Development, Fetotoxicity, Not
Teratogenic
Result: NOEL
Species: Mouse
Organ: Oral

Butylated hydroxyanisole

30 g/kg Embryo / Fetal Development, teratogenic
Result: LOEL
Species: Rat
Organ: Oral

Butylated hydroxytoluene

6 g/kg Embryo / Fetal Development, teratogenic
Result: LOEL
Species: Rat
Organ: Oral

**Specific target organ toxicity -
single exposure**

Not classified.

**Specific target organ toxicity -
repeated exposure**

Causes damage to organs (blood, hematopoietic system) through prolonged or repeated exposure.

Aspiration hazard

Not an aspiration hazard.

12. Ecological information

Ecotoxicity

Very toxic to aquatic life with long lasting effects. Avoid release to the environment.

Components

Species

Test Results

Benzyl alcohol (CAS 100-51-6)

Aquatic

Algae

EC50

Pseudokirchneriella subcapitata (Green
Alga)

500 mg/l, 72 Hours

Crustacea

EC50

Daphnia magna (Water Flea)

230 mg/l, 48 Hours

66 mg/l, 21 day(s) Toxicity for
reproduction

Fish

LC50

Pimephales promelas (Fathead
Minnow)

460 mg/l, 96 Hours

Components	Species		Test Results
<i>Acute</i> Fish Doramectin (CAS 117704-25-3)	LC50	Bluegill (Lepomis macrochirus)	10 mg/l, 96 hours
	MIC	Aspergillus niger (Fungus)	600 mg/l
		Clostridium perfringens (Bacterium)	40 mg/l
	Aquatic Crustacea	EC50	Daphnia magna (Water Flea)
Fish	LC50	Lepomis macrochirus (Bluegill Sunfish)	0.011 mg/l, 96 Hours
		Oncorhynchus mykiss (rainbow trout)	0.0051 mg/l, 48 Hours
Persistence and degradability	No data available for this product. The following information is available for the individual ingredients.		
Biodegradability			
Percent Degradation (Aerobic Biodegradation)			
Benzyl alcohol		92 - 96 % Test Duration: 28 days	
Bioaccumulative potential	No data available for this product. The following information is available for the individual ingredients.		
Partition coefficient			
n-octanol / water (log Kow)			
Benzyl alcohol		1.1	
Doramectin		4.4	
Mobility in soil	No data available for this product.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

13. Disposal considerations

Disposal methods	Avoid release to the environment. Do not discharge into drains, water courses or onto the ground. Do not dispose of waste into sewer. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. Dispose of contents/container in accordance with local/regional/national/international regulations.
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information


ADG		Not regulated as dangerous goods.
RID		
UN number	UN3082	
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Doramectin, Benzyl alcohol)	
Transport hazard class(es)		
Class	9	
Subsidiary risk	-	
Label(s)	9	
Packing group	III	
Environmental hazards	Yes	
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.	
IATA		
UN number	UN3082	

UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (Doramectin, Benzyl Alcohol)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	Yes
ERG Code	9L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.


IMDG

UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Doramectin, Benzyl Alcohol), MARINE POLLUTANT
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.

IATA; IMDG; RID



Marine pollutant



General information

As of January 1, 2015, materials offered for transport that are classified for transportation only as Marine Pollutants and which are packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 Liters or less for liquids or having a net mass per single or inner packaging of 5 kilograms or less for solids are NOT subject to ICAO/IATA, IMDG, or ADR transport regulations provided the general packaging requirements of those regulations are met. Refer to ICAO/IATA A197, IMDG 2.10.2.7, ADR SP 375.

15. Regulatory information

Safety, health and environmental regulations

National regulations

This Safety Data Sheet was prepared in accordance with the Australia Model Code of Practice for the preparation of safety data sheets for hazardous chemicals.

Poison Schedule (Product) – Schedule 5

APVMA approval number: 90001

Australia Medicines & Poisons Appendix A

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix B

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix D

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix E

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix F

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix G

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix H

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix I

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix J

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix K

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 10

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 2

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 3

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 4

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 5

Doramectin (CAS 117704-25-3)

Australia Medicines & Poisons Schedule 6

Doramectin (CAS 117704-25-3)

Australia Medicines & Poisons Schedule 7

Doramectin (CAS 117704-25-3)

Australia Medicines & Poisons Schedule 8

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 9

Poisons schedule number not allocated.

High Volume Industrial Chemicals (HVIC)

Benzyl alcohol (CAS 100-51-6)

10000 - 99999 TONNES See the regulation for additional information.

Importation of Ozone Depleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)

Not listed.

National Pollutant Inventory (NPI) substance reporting list

Not listed.

Prohibited Carcinogenic Substances

Not regulated.

Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)

Not listed.

Restricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)

Not listed.

Restricted Carcinogenic Substances

Not regulated.

International regulations**Stockholm Convention**

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date	15-January-2016
Revision date	29-October-2021
Key abbreviations or acronyms used	ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP).
Disclaimer	Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.